

Notes:

- 1. One layer of No. 30 asphalt-saturated felt complying with ASTM D-226 Type II (ASTM D4869 Type IV) or approved equal as a minimum underlayment on all tile roof applications. Other underlayments as approved by local building officials will be allowed.
- 2. All hip and ridge tile are required to have a code approved adhesive between laps of trim tile.
- 3. For tile fastening schedule(s) see Fastening Table 1A and 1B.

Wrapping of nailer board is optional except with the use of mortar. (All tile profiles)

be allowed. See Technical Bulletin at www.Tileroofing.org

- 4. Battens for tiles with protruding anchor lugs are optional for slopes between 3:12 and 7:12. Direct deck attachment of tile as approved by local building official is allowed.
- Roofer's mastic or tile adhesive must be applied at hip and ridge trim headlap to cover nail hole and create a bond between ridge tiles.

Field tiles shall be cut to within an average of 1/2" of nailer board.

Nail each trim with a corrosion-resistant fastener of sufficient length to penetrate nailer board a minimum 3/4".

Cut tiles without nail holes may be drilled, notched and nailed or affixed with tile adhesive, wire and/or cut tile clips.

HIPS TO BE SEALED WITH UV RESISTANT METAL, MORTAR, MASTIC, PREFORMED PLASTIC OR PRESSURE-SENSITIVE ADHESIVE WHERE

TILE MEETS HIP BOARD

ROOFERS MASTIC OR TILE ADHESIVE MUST BE APPLIED AT HEADLAP TO COVER NAIL HOLE

PROVIDE MINIMUM 2" HEADLAP

HOLD BACK HIP NAILER 6" FROM EAVE EDGE