# ENVIRONMENTAL PRODUCT DECLARATION



IN ACCORDANCE WITH ISO 14025 AND ISO 21930:2017









General Information	4
Organization Information	4
Limitations, Liability, and Ownership	4
Reference Standards	4
Verification Information	5
Product Description	5
Product Specifications	5
Material Composition	6
EPD Representativeness	7
EPD Data Specificity	7
System Boundary	8
Plants	8
Product Flow Diagram	9
Software, Data Sources and Data Quality	9
Software and Database	9
Data Quality	10
Life Cycle Module Descriptions	10
LCA Discussion	11
Allocation Procedure	11
Cut-Off Procedure	11
Renewable Electricity	11
Scenarios	11
Transport to the building/construction site (A4)	11
Installation in to the building/construction site (A5)	12
Reference Service Life (B1)	12
Maintenance (B2)	12

#### Airolite





Replacement (B4)	12
End of Life (C1 - C4)	13
Results	14
Environmental Impact Assessment	14
Resource Use Indicators	14
Waste and output Flow Indicators	15
Carbon Emissions and Removals	16
Impact Scaling Factors	17
Interpretation	18
Additional Environmental Information	18
References	18

Airolite





## **General Information**

#### Airolite

P.O. Box 410 Schofield, WI 54476

(715) 841-8757



Product Name: K8206A Operable Combination Louver Damper

Functional Unit: 100 m2 coverage of 100 square meters (1076.4 square feet) of building area for 75 years

Declaration Number: SmartEPD-2025-049-0303-01

Date of Issue:February 06, 2025Expiration:February 06, 2030Last updated:February 06, 2025EPD Scope:Cradle to grave

A1 - A3, A4, A5, B1 - B7, C1 - C4

Market(s) of Applicability: North America

# **Organization Information**

Airolite has been enhancing the appearance and performance of buildings since 1920, when we invented, manufactured, and introduced the metal louver. Today, architects, builders, and building owners across the U.S. rely on Airolite for innovative and effective product solutions that combine critical functionality with distinctive visual appeal. Our products help ventilate, reduce glare, prevent water penetration, save energy, provide visual screens, and enhance security for both new and renovated buildings—all while leaving a lasting impression. Every architectural product we manufacture is proudly crafted and assembled in America at our multiple manufacturing facilities.

Further information can be found at: https://www.airolite.com/

# Limitations, Liability, and Ownership

Environmental declarations from different programs (ISO 14025) may not be comparable. Comparison of the environmental performance of products using EPD information shall be based on the product's use and impacts at the building level, and therefore EPDs may not be used for comparability purposes when not considering the whole building life cycle. EPD comparability is only possible when all stages of a life cycle have been considered. However, variations and deviations are possible. Example of variations: Different LCA software and background LCI datasets may lead to differences results for upstream or downstream of the life cycle stages declared. The EPD owner has sole ownership, liability, and responsibility for the EPD.

#### **Reference Standards**

Standard(s): ISO 14025 and ISO 21930:2017

Core PCR: UL Part A PCR for Building-Related Products and Services v.4

Date of issue: March 01, 2022

Airolite





Sub-category PCR:	UL Part B: Insulated Metal Panels, Metal Composite Panels, and Metal Cladding Date of issue: October 23, 2018 Valid until: December 31, 2025
Sub-category PCR review panel:	Contact Smart EPD for more information.
General Program Instructions:	Smart EPD General Program Instructions v.1.0, November 2022
Verification Information	
LCA Author/Creator:	⊕ Jana Fogarty
EPD Program Operator:	Smart EPD Minfo@smartepd.com Www.smartepd.com  585 Grove St., Ste. 145 PMB 966, Herndon, VA 20170, USA
Verification:	Independent critical review of the LCA and data, according to ISO 14044 and ISO 14071:  (matrix)   III LCA Support   Mari.kirss@lcasupport.com
	Independent external verification of EPD, according to ISO 14025 and reference PCR(s):
Product Information	
Functional Unit:	100 m2 coverage of 100 square meters (1076.4 square feet) of building area for 75 years
Mass:	2780 kg
Reference Service Life:	75 Years
Product Specificity:	× Product Average
	✓ Product Specific

# **Product Description**

Louvers are essential to any successful building. They provide healthy air exchange, while ensuring unwanted elements, like rain, dirt, and animals remain outside. Louvers provide an extra architectural element to a building's exterior – giving an opportunity to improve the look of any building while meeting mechanical requirements. Louvers include an aluminum body, fasteners, and hardware. Various models may also contain steel, actuators, bearings, seals, and/or insulation. Aluminum is sawed, punched, machined, and welded for the specific project. Once the louver is assembled and welded, it can optionally be sent through the paint line before being packed and shipped to the installation site.

Further information can be found at: https://content.greenheck.com/public/DAMProd/Original/10016/K8206A\_submittal\_ARL.pdf

# **Product Specifications**

Product SKU(s): K8206A

Product Classification Codes: Masterformat - 08 01 44

EC3 - Cladding

Length: 10 m

Airolite





Width: 10 m
Thickness: 156 mm

# **Product Composition Diagram**







# **Material Composition**

Material/Component Category	Origin	% Mass
Aluminum	US	87.99
Steel	US	3.7
Fasteners	US	1.55
Hardware	US	0.01
Vinyl	US	1.64
Rubber	US	1.64
Polypropylene	US	1.64
Actuator	US	1.8
Nylon	US	0.03

Packaging Material	Origin	kg Mass
Plastic   LDPE	US	13.7
Metal   mild steel	US	5.06
Paper	US	2.94
Wood   pine	US	1800

Hazardous Materials

No regulated hazardous or dangerous substances are included in this product.

# **EPD Data Specificity**

Primary Data Year:

7/1/2023-6/30/2024

Manufacturing Specificity:

× Industry Average

× Manufacturer Average

Facility Specific

## Averaging:

Averaging was not conducted for this EPD





# **System Boundary**

	A1	Raw material supply	<b>~</b>
Production	A2	Transport	<b>~</b>
	АЗ	Manufacturing	<b>/</b>
Construction	A4	Transport to site	<b>/</b>
Construction	A5	Assembly / Install	<b>~</b>
	В1	Use	<b>/</b>
	B2	Maintenance	~
	ВЗ	Repair	<b>/</b>
Use	B4	Replacement	~
	B5	Refurbishment	<b>~</b>
	В6	Operational Energy Use	<b>~</b>
	B7	Operational Water Use	<b>/</b>
	C1	Deconstruction	<b>/</b>
End of Life	C2	Transport	~
Eria oi Lite	С3	Waste Processing	<b>~</b>
	C4	Disposal	<b>/</b>
Benefits & Loads Beyond System Boundary	D	Recycling, Reuse Recovery Potential	ND

# **Plants**




Airolite Shelby, NC, USA





# **Product Flow Diagram**



## Software and Database

LCA Software: SimaPro v. 9.6

LCI Foreground Database(s):

Airolite





# **Data Quality**

Life cycle inventory data used in this study are evaluated based on three categories: precision and completeness, consistency and reproducibility, and representativeness. Precision and completeness: Foreground data are sourced from primary information provided by the client and has been reviewed internally to ensure precision and completeness. In order to balance out seasonal variations, operations data over a 12-month period is used to represent production activities. In addition, key model input such as mass balance, energy balance and emission inventory are reviewed by TrueNorth Collective team.

Ecoinvent v3.10 cut-off by classification is used as the main database for background data. This version is published in 2023. Ecoinvent is widely used in research and industry to support life cycle assessment practices. Each version of this database goes through thorough review process and documentation of precision and completeness is available by the provider.

Consistency and reproducibility: To ensure consistency, primary data were collected at the same level of granularity. All input and output information, modelling assumptions and dataset choices are provided in this report for the purpose of reproducibility.

Representativeness: Refer to the sections above for details about representativeness.

Completeness Check: Detailed information on the inputs and outputs of the products were gathered with every effort made to perform a comprehensive analysis. An attempt was made to include as much detail as possible, even for processes that were found to be largely negligible in the environmental impact assessment. Processes were mass balanced before allocation to ensure all waste and emissions were captured. This was done to ensure completeness. Furthermore, all energy consumption that was understood as relevant for the comparison was included.

Consistency Check: The products were modeled in a consistent manner. System boundaries for all products were defined in a similar manner. Therefore, any differences in overall potential environmental impacts should not be due to inconsistent modeling or data.

# Life Cycle Module Descriptions

#### A1 Extraction and Processing of Raw Materials

A1 roll up process contains the supplied materials needed per 100 m of product. The amount of materials per the Bill of Materials and the manufacturing scrap rates are used to calculate total materials supplied.

#### **A2 Raw Material Transportation**

Transportation is modeled by mode on a per kg of shipped material. Final amount is determined by the weight of supplied material from A1. The commodity for extruded aluminum makes up over 82% of the total mass purchased, so the suppliers of extruded aluminum and their transport modes & distances were used to represent the raw material transport for all materials purchased.

#### A3 Manufacturing

For A3 roll up process, each type of utility, waste, water, and packaging consumption in A3 Manufacturing is modeled by factors of usage per kg of aluminum production. Factors are multiplied by product's aluminum weight (kg), and if the part if painted, it receives similar impacts based on weight for the paint line.

#### **A4 Product Distribution**

Product Distribution is modeled by mode on a per kg of shipped product, the final amount is determined by the weight of packaged product. Products are shipped from the facility in Shelby, NC to customers.

#### **A5** Installation

Installation includes installation fuel, electricity, packaging transport to EOL and EOL treatment of packaging. The installation process is assumed to use 1 gallon of diesel and 2 kWh of electricity per functional unit of product installed per the PCR. Since the product is custom made for the opening defined by the customer, it is assumed that not scrap is generated during installation.

#### **B2** Maintenance

B2 contains the volume of soap used over the life of the product. Per the PCR, 500 ml of 1% (v/v) sodium lauryl sulfate solution is used twice per year. For the 30-year life of the louver product, that equates to 30,000 ml of soap.

#### **B4 Replacement**

B4 captures all life cycle impacts to replace the product 1.5 times, so the overall service life of the product will match that of the building (75 years),

Airolite





#### **C1** Deconstruction

C1 contains the deconstruction fuel and deconstruction electricity. The deconstruction process is assumed to use 1 gallon of diesel and 2 kWh of electricity per functional unit of product deconstructed per the PCR Per the PCR, the product is assumed to travel 100 km via truck to final disposal. Per the PCR Part A, Section 2.8.5, 85% of metals are assumed to be recycled while the remaining 15% is sent to landfill. For non-metal materials, 100% of them are assumed to go to landfill.

#### C2 Transport to disposal

C2 EOL Transportation is modeled by mode on a per kg of product, the final mass amount is determined by the weight of the product.

#### **C3** Waste Processing

C3 captures the recycling of materials from the product at the end of its life.

#### C4 Disposal of product

C4 Disposal is modeled by product material type and weight and the corresponding EOL treatment method.

## LCA Discussion

#### **Allocation Procedure**

No multi-output allocation was necessary in the foreground of the study. Allocation of secondary data taken from ecoinvent v3.10 cut-off by classification has allocation applied to it.

This study uses the cut-off approach method for recycling. According to this approach, the first life of a material bears the environmental burdens of its production (e.g., raw material extraction and processing) and the second life (e.g., scrap input) bears the burdens of refurbishment (e.g., collection and refining of scrap). The burdens from recycling waste treatment are taken on by the next life of the product and are not included in this study.

Given that raw materials are key contributors to environmental performance, mass-based allocation of plant overhead utility consumption, resource use and waste generation was applied for Shelby, NC facility based on the total kilograms of aluminum processes.

#### **Cut-off Procedure**

For the processes within the system boundary, described in Study Boundaries, input and output flows of mass and energy greater than 1% (based on total mass of final product and total energy usage of the product system) or greater than 1% of environmental impacts were included within the scope of the analysis. Flows of less than 1% were included if sufficient data were available to warrant inclusion and/or the flow was thought to have significant environmental impact. Cumulative excluded flows and environmental impacts are less than 5% per module based on total mass, energy usage, and impacts of the product system. Where data gaps were identified, they are filled by conservative assumptions with average, generic, or proxy data and assumptions are documented. No known flows relevant to the product system are deliberately excluded from this LCA.

All upstream and downstream activities are included using a combination of primary and secondary data. While the majority of inventory data are sourced from primary resources, representative proxies are used to close gaps in the absence of primary data.

# Renewable Electricity

Energy Attribute Certificates (EACs) such as Renewable Energy Certificates (RECs) or Power Purchase Agreements (PPAs) are included in the baseline reported results:



#### **Scenarios**

Transport to the building/construction site (A4)

Airolite





#### A4 Module

Fuel Type: Diesel

Liters of Fuel: 1.03E+01 l/100km

Transport Distance: 554 km

Packaging Mass: 1.83E+03 kg

## Installation in to the building/construction site (A5)

A5 Module

Electricity Consumption: 2 kWh
Other Energy Carriers: 144 MJ
Mass of Packaging Waste Specified by Type: 1830 kg

Assumptions for scenario development: Installation includes installation fuel, electricity, packaging transport to EOL and EOL treatment of packaging.

The installation process is assumed to use 1 gallon of diesel and 2 kWh of electricity per functional unit of product installed per the PCR. Since the product is custom made for the opening defined by the customer, it

is assumed that not scrap is generated during installation.

#### Reference Service Life (B1)

B1 Module

RSL: 30 Years

#### **Outdoor Environment:**

Greenheck Fan Corporation certifies that the louvers shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings Seal applies to Water Penetration, Air Performance, and Wind-Driven Rain ratings.

Louvers were tested in accordance with AMCA Standard 500-L.

#### Maintenance:

Per the PCR, 500 ml of 1% (v/v) sodium lauryl sulfate solution is used to clean the louver twice per year.

## Maintenance (B2)

B2 Module

Maintenance Cycle: 60 Cycles/RSL

150 Cycles/ESL

Waste Materials from Maintenance: 75 kg

sulfate solution is used twice per year. Assume 500 grams per cleaning cycle, 2 cleaning cycles per year, 75

years.

# Replacement (B4)

B4 Module

Reference Service Life: 30 Years

Airolite





Further assumptions for scenario development: The installation process and the deconstruction process are assumed to use 1 gallon of diesel and 2 kWh of

electricity per functional unit of product installed per the PCR. There is expected to be 1.5 replacements of the

product to match the 75-year life of the building.

Other Energy Carriers: 4.32E+02 MJ

End of Life (C1 - C4)

C1 - C4 Modules

**Collection Process** 

Collected Separately: 2530 kg
Collected with Mixed Construction Waste: 188 kg

Disposal

Product or Material for Final Disposal: 2720 kg

Assumptions for scenario development:

The deconstruction process is assumed to use 1 gallon of diesel and 2 kWh of electricity per functional unit of product deconstructed per the PCR Per the PCR, the product is assumed to travel 100 km via truck to final disposal. Per the PCR Part A, Section 2.8.5, 85% of metals are assumed to be recycled while the remaining 15% is sent to landfill. For non-metal materials, 100% of them are assumed to go to landfill.

**Airolite** 





## Results

## **Environmental Impact Assessment Results**

TRACI 2.1, CML 2016 v4.8

per 100 m2 of product coverage of 100 square meters (1076.4 square feet) of building area for 75 years.

LCIA results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins or risks.

Impact Cate- gory	Method	Unit	A1	A2	А3	A1A2A3	A4	A5	B1	B2	В3	B4	B5	B6	В7	C1	C2	C3	C4
GWP-total	TRACI 2.1	kg CO2 eq	26000	518	3780	30300	262	84	ND	0.763	ND	46000	ND	ND	ND	14.6	28.2	ND	3.61
ODP	TRACI 2.1	kg CFC 11 eq	0.000436	0.00000903	0.0000506	0.000496	0.00000456	7.1e-7	ND	1.3e-8	ND	0.000753	ND	ND	ND	2.35e-7	4.92e-7	ND	1.12e-7
AP	TRACI 2.1	kg SO2 eq	165	1.14	10.3	176	0.578	0.248	ND	0.00315	ND	266	ND	ND	ND	0.161	0.0624	ND	0.023
EP-fw	TRACI 2.1	kg N eq	143	0.488	9.22	153	0.246	0.123	ND	0.0054	ND	230	ND	ND	ND	0.0164	0.0266	ND	0.00432
POCP	TRACI 2.1	kg O3 eq	1740	20.6	221	1980	10.4	7.09	ND	0.03	ND	3010	ND	ND	ND	5.07	1.12	ND	0.615
ADP-fossil	CML 2016 v4.8	MJ	1490	5.74	105	1600	2.9	0.371	ND	0.0121	ND	2410	ND	ND	ND	0.0649	0.313	ND	0.0418

Note:

Not all abbreviated indicators listed below may be present in the results above. The inclusion of indicators varies based on PCR requirements.

Abbreviations

GWP = Global Warming Potential, 100 years (may also be denoted as GWP-total, GWP-fossil (fossil fuels), GWP-biogenic (biogenic sources), GWP-luluc (land use and land use change)), ODP = Ozone Depletion Potential, AP = Acidification Potential, EP = Eutrophication Potential, FSP = Smog Formation Potential, POCP = Photochemical oxidant creation potential, AP - Fossil a Abiotic depletion potential for non-fossil resources, WDP = Water deprivation potential, PM = Particular Matter Emissions, IRP = Ionizing radiation, human health, ETP-fw = Eco-toxicity (freshwater), HTP-nc = Human toxicity (concere), HTP-nc = Human toxicity (concere), SQP = Soil quality index.

Comparisons cannot be made between product-specific or industry average EPDs at the design stage of a project, before a building has been specified. Comparisons may be made between product-specific or industry average EPDs at the time of product purchase when product performance and specifications have been established and serve as a functional unit for comparison. Environmental impact results shall be converted to a functional unit basis before any comparison is attempted. Any comparison of EPDs shall be subject to the requirements of ISO 21930 or EN 15804. EPDs are not comparative assertions and are either not comparable or have limited comparability when they have different system boundaries. EPDs are not comparative assertions and are either not comparable or have limited comparability when they have different system boundaries, are based on different product category rules or are missing relevant environmental impacts. Such comparison can be inaccurate, and could lead to erroneous selection of materials or products which are higher-impact, at least in some impact categories.

Airolite





## **Resource Use Indicators**

per 100 m2 of product coverage of 100 square meters (1076.4 square feet) of building area for 75 years.

Indicator	Unit	A1	A2	A3	A1A2A3	A4	A5	B1	B2	В3	B4	B5	B6	B7	C1	C2	C3	C4
PERE	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PERM	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PERT	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PENRE	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PENRM	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PENRT	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
RPRE	MJ	19900	102	70200	90200	51.6	8.2	ND	17.4	ND	135000	ND	ND	ND	2.79	5.57	ND	0.821
RPRM	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
RPRT	MJ	19900	102	70200	90200	51.6	8.2	ND	17.4	ND	135000	ND	ND	ND	2.79	5.57	ND	0.821
NRPRE	MJ	196000	774	26100	223000	390	54.8	ND	2.26	ND	336000	ND	ND	ND	13.9	42.1	ND	5.74
NRPRM	MJ	5400	ND	ND	5400	ND	ND	ND	ND	ND	8090	ND	ND	ND	ND	ND	ND	ND
NRPRT	MJ	202000	774	26100	229000	390	54.8	ND	2.26	ND	344000	ND	ND	ND	13.9	42.1	ND	5.74
ADP-fossil	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SM	kg	2180	ND	ND	2180	ND	ND	ND	ND	ND	3280	ND	ND	ND	ND	ND	ND	ND
RSF	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NRSF	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FW	m3	ND	ND	0.00854	0.00854	ND	ND	ND	ND	ND	0.0128	ND	ND	ND	ND	ND	ND	ND

#### Note:

Not all abbreviated indicators listed below may be present in the results above. The inclusion of indicators varies based on PCR requirements.

#### Abbreviations:

RPRE = Renewable primary resources used as energy carrier (fuel), RPRM or PERM = Renewable primary resources with energy content, NRPRE or PERM = Non-renewable primary resources used as an energy carrier (fuel), NRPRM or PERM = Non-renewable primary resources with energy content used as material, NRPRT or PENRT = Total non-renewable primary resources with energy content, SM = Secondary materials, RSF = Renewable secondary fuels, RE = Recovered energy, ADPF = Abiotic depletion potential, FW = Use of net freshwater resources, VOCs = Volatile Organic Compounds.

For RPRM and NRPRM indicators, packaging is not included.

Airolite





# **Waste and Output Flow Indicators**

per 100 m2 of product coverage of 100 square meters (1076.4 square feet) of building area for 75 years.

Indicator	Unit	A1	A2	A3	A1A2A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	С3	C4
HWD	kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NHWD	kg	ND	ND	182	182	ND	584	ND	ND	ND	2010	ND	ND	ND	ND	ND	ND	577
RWD	kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
HLRW	kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
ILLRW	kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CRU	kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MFR	kg	ND	ND	507	507	ND	1240	ND	ND	ND	5850	ND	ND	ND	ND	ND	2150	ND
MER	kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MNER	kg	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EEE	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EET	MJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

#### Note:

Not all abbreviated indicators listed below may be present in the results above. The inclusion of indicators varies based on PCR requirements.

#### bbreviation

 $HWD = Hazardous\ waste\ disposed,\ NHWD = Non-hazardous\ waste\ disposed,\ RWD = Radioactive\ waste,\ HLRW = High-level\ radioactive\ waste,\ LLRW = Intermediate-\ and\ low-level\ radioactive\ waste,\ CRU = Components\ for\ re-use,\ MFR\ or\ MR = Materials\ for\ recycling,\ MER = Materials\ for\ recycling,\ M$ 

Airolite





## **Carbon Emissions and Removals**

per 100 m2 of product coverage of 100 square meters (1076.4 square feet) of building area for 75 years.

Indicator	Unit	A1	A2	A3	A1A2A3
BCRP	kg CO2	ND	ND	ND	ND
BCEP	kg CO2	ND	ND	ND	ND
BCRK	kg CO2	ND	ND	-3310	-3310
BCEK	kg CO2	ND	ND	ND	ND
BCEW	kg CO2	ND	ND	ND	ND
CCE	kg CO2	ND	ND	ND	ND
CCR	kg CO2	ND	ND	ND	ND
CWNR	kg CO2	ND	ND	ND	ND

Note:

Not all abbreviated indicators listed below may be present in the results above. The inclusion of indicators varies based on PCR requirements.

Abbreviations:

BCRP = Biogenic Carbon Removal from Product, BCEP = Biogenic Carbon Emission from Product, BCRP = Biogenic Carbon Emission from Packaging, BCEK = Biogenic Carbon Emission from Packaging, BCEW = Biogenic Carbon Emission from Combustion of Waste from Renewable Sources Used in Production Processes, CCE = Calcination Carbon Emissions, CCR = Carbon Emissions from Land-use Change.

# **Impact Scaling Factors**

Product Name and/or Product Attribute

Product Specific Functional/Declared Unit Multiplier





# Interpretation

The analysis of Airolite's Louver products provides useful insights regarding the cradle-to-grave environmental impacts. The LCA results also identify where substantial impacts are occurring to allow further process and materials improvements to be implemented by the reporting company. The cradle-to-grave impacts for all products are dominated by the A1 Raw Materials Extraction and Processing stage. This stage accounts for 75%-93% of the impacts throughout the products' lifecycle. After this the second largest contributor is the A3 Manufacturing stage. This stage accounts for 6-19% of the lifecycle impacts. The A2 Raw Material Transportation stage accounts for 0.4-3.5% of the impacts, with the other stages accounting for <2%. The trends are similar among the other products assessed. Another key driver of the impacts is the B4 Replacement stage, this is due to the 1.5 replacement products needed to satisfy the 75-year requirement for the functional unit.



## **Additional Environmental Information**

Extruded aluminum used to produce each louver has an average recycled content of 75-80%

Biodiversity impacts: This product has no potential effects on ecosystems and wildlife

Toxicity: This product has no impacts on human health or the environment relative to toxicity

Geographical factors: This product does not have environmental impacts related to the location

Environmental performance data: This products performance does not significantly affects the environment

Environmental management: There are currently no environmental systems or certifications relative to this product

Environmental programs: There are currently no recycling or recovery programs specific to this product

LCA-derived data: There is no relevant life cycle data not included in typical LCA formats.

Use instructions: Follow instruction on product information sheets (link in product description)

Health and environmental risks: There are no risk assessments related to the product

Materials of concern: There are no significant environmental materials in the product

Waste management: See end of life (C1-C4) section for preferred disposal methods

Incident risks: There are no potential environmental risks from incidents involving this product

#### References

ACLCA. (2019). ACLCA Guidance to Calculating Non-LCIA Inventory Metrics in Accordance with ISO 21930:2017. ACLCA.

Bare, J., Gloria, T., & Norris, G. (2006). Development of the Method and U.S. Normalization Database for Life Cycle Impact Assessment and Sustainability Metrics. Environmental Science & Technology.

Airolite





Bare, J., Norris, G., Pennington, D., & McKone, T. (2003). TRACI: The Tool for the Reduction and Assessment of Chemical and Other Environmental Impacts. *Journal of Industrial Ecology*.

Boulay A.M., B. J. (2018). The WULCA consensus characterization model for 108 water scarcity footprints: Assessing impacts of water consumption based on available water remaining (AWARE). . The International Journal of Life Cycle Assessment.

Center of Environmental Science, L. U. (2016). CML-IA Characterisation Factors.

Ecoinvent 3.10. (2023).

Frischknecht, R., Jungbluth, N., Althaus, H., Doka, G., Dones, R., Hischier, R., ... Nemecek, T. (2007). *Implementation of Life Cycle Impact Assessment Methods: Data v2.0.* Dübendorf, Switzerland: ecoinvent report No. 3, Swiss centre for Life Cycle Inventories.

IPCC, I. P. (2013). IPCC Fith Assessment report. The PhysicalSceince Basis. Retrieved from http://www.ipcc.ch/report/ar5/wg1/.

ISO 14025. (2006). ISO 14025:2006: Environmental labels and declarations — Type III environmental declarations — Principles and procedures. International Organization for Standardization.

ISO 14040. (2006). ISO14040:2006/Amd 1:2020 -- Environmental management -- Life cycle assessment -- Principles and framework. International Organization for Standardization.

ISO 14071:2024. (n.d.). ISO 14071:2024 Environmental management - Life cycle assessment - Critical review processes and reviewer competencies. International organization for Standards (ISO).

ISO. (2006). ISO 14040:2006 Environmental management - Life cycle assessment - Principles and framework. International Organization for Standardization (ISO).

ISO. (2006). ISO 14044:2006 Environmental management - Life cycle assessment - Requirements and guidelines. International organization for Standardization (ISO).

ISO 21930. (2017). Sustainability in buildings and civil engineering works — Core rules for environmental product declarations of construction products and services.

UL. (2018). Product Category Rule (PCR) Guidance for Building-Related Products and Services Part B: Insulated Metal Panels, Metal Composite Panels, and Metal Cladding: Roof and Wall Panels, UL 10010–5, v.2.

UL. (2022). Product Category Rules for Building Related Products and Services, Part A: Life Cycle Assessment Calculation Rules and Report Requirements UL 10010, v4.0.

SmartEPD (2022) General Program Instructions, Version 1.0. November.

Weidema B P, B. C. (2013). Overview and methodology. Data quality guideline for the ecoinvent database version 3. St. Gallen: The ecoinvent Centre.