INDUSTRIAL STAIRWAY TO HATCH BAR GRATING TREAD (GROOVED NOSING) NOTE: ALL BOLTS/FASTENERS -AS REQ'D-NECESSARÝ TO ANCHOR STAIRWAY ARE BY OTHERS. **VARIES** 2 1/4"--| TREAD WELDED AND BOLTED TO STRINGER WITH 3/8" HEX HEAD BOLTS 5" CHANNEL -22" MIN. w/6" PLATE 1-1/4" SCH 40 ALÚMINUM PIPE HANDRAIL/GUARDRAIL (6005-T5)-VERTICAL $8" \times 2-1/4" \times 1/4"$ HEIGHT ALUMINUM CHANNEL (TYPICAL) 6-1/2" MIN. 9-1/2" MAX. MAX 15' 1'-0" 3'-6" UNIFORM RISER HEIGHTS AND TREAD DEPTHS BETWEEN LANDINGS 2'-10" 30°-45° (AVAILABLE RANGE) CLEAR TREAD CAPPED FOR _ 29-1/2"MIN -MOUNTING-55-1/2"MAX CLEAR TREAD + 4-1/2"--AS REQ'D-FACTORY FINISH OSHA 1910.25 & 29 ALUMINUM-MILL FINISH PS-5 PRECISION REP DWG. CHECK ARCH'T OR ENG'R. PROJECT Precision Ladders, LLC P.O. BOX 2279 Morristown, TN 37816-2279 Ph: (423) 586-2265 Fax: (423) 586-2091 BUILT BY: PURCHASE ORDER WORK ORDER PURCHASER SERIAL# CHECKED BY: www.PrecisionLadders.com DNH 4/8/19 PS-