

Clopay BUILDING PRODUCTS COMPANY	CUST:	MODEL #: 3203	QTY:	# OF SECTIONS HIGH (SEE TABLE #1)	SECTIONS TO GLAZE:
	JOB:	DOOR WIDTH:		# OF PANELS WIDE (SEE TABLE #2)	PANELS TO GLAZE:
	ARCH:	DOOR HEIGHT:			
	CONT:				

SHEET 'M-7'
DATE: _____
BID #: _____
PAGE ___ of ___

REV. Feb. 2001

MODEL #'s 3203, 3201

TABLE #1 SECTION CHART

DOOR HEIGHT	NUMBER OF SECTIONS
6'0" - 7'0"	4
7'6" - 8'9"	5
9'0" - 10'6"	6
10'9" - 12'3"	7
12'6" - 14'0"	8
14'3" - 15'9"	9
16'0"	10

NOTE: DOOR HEIGHTS AVAILABLE IN 3" INCREMENTS (NOT AVAILABLE IN 7'3" HEIGHT)

TABLE #2 PANEL CHART

DOOR WIDTH	NUMBER OF PANELS
8'0" - 9'10"	2
10'0" - 13'10"	3
14'0" - 19'10"	5
20'0" - 20'2"	6

TABLE #3 LITE AVAILABILITY CHART

DOOR WIDTH	MAXIMUM LITES PER SECTION
6'0" - 9'10"	4
10'0" - 11'10"	5
12'0" - 13'10"	6
14'0" - 14'2"	7
* 14'4" - 15'10"	5
* 16'0" - 18'10"	6
* 19'0" - 19'10"	7
* 20'0" - 20'2"	8

* 14'4" WIDE & OVER GETS DOUBLE END STILE. END PANELS WILL NOT BE GLAZED.

MAX. WINDOW SECTIONS PER DOOR

1/8" DSB:
NO LIMIT EXCEPT BOTTOM SECTION

1/2" INSULATED:
THRU 10'2" WIDE - 3 SECTIONS
OVER 10'2" WIDE - 1 SECTION

TABLE #4 REINFORCEMENT CHART

DOOR HEIGHT	DOOR WIDTH		
	UP TO 14'2"	14'4"-182"	18'4"-20'2"
UP to 10'0"	NONE	3 ea. 2-1/4"	3 ea. 3"
10'3" to 14'0"	NONE	4 ea. 2-1/4"	4 ea. 3"
14'3" to 16'0"	NONE	5 ea. 2-1/4"	5 ea. 3"

Clopay BUILDING PRODUCTS COMPANY