


Freedom Showers

SUBMITTAL DATA



Roll-In Shower Stall

The shower enclosure shall be APF model 6233 BFF .875 right. Finished surface shall be of an applied acrylic. The base shall be attached to the sump of the unit in such a manner to form an integral part with an inner and outer coating of polyester resin. The unit shall have outside dimensions of 62" x 32 3/4" x 78 1/2". The unit meets ADA, ANSI A117.1, IAPMOZ124.1.2, CSA B45.5, HUD-UM73, and Home Innovation Research Lab.

This enclosure shall be equipped with the following installed accessories:

- 1) One 36" x 1 1/2" diameter stainless steel horizontal grab bar on the back wall,
- 2) One 22" x 1 1/2" diameter stainless steel horizontal grab bar on the side wall, both with 1 1/2" statute clearance, mounted with stainless steel bolts, and secured from the rear with 3" x 3" x 11 gauge metal mounting plates,
- 3) 26" x 21" frameless white HDPE fold up seat,
- 4) One inch diameter stainless steel curtain rod with receiver cups,
- 5) Full reinforced backing on walls,
- 6) Factory installed Armor Core Easy Base,
- 7) 7/8" COL threshold.

Available Options: 8) Valve package includes: Hand held shower set, swivel connector, 60" flex hose, vacuum breaker, 30" slide bar, wall water outlet fitting, 9) Green anti-bacterial shower curtain and hooks, 10) White shower curtain and hooks.

- 11) Nurses call box drilling,
- 12) Vertical grab bar.


NOTE: VERTICAL GRAB BAR REQUIRED TO COMPLY WITH ICC-ANSI A117.1 GUIDELINES.

This unit features the outside dimensions of 62" of overall width. This does not allow for full enclosure of the bolts that are used to secure the bars and seat in place.

This may require the need to notch studs to allow for bolt clearance for installation.

For a dry wall enclosed fire wall installation, adjustment of the wallboard may be necessary to provide clearance of the bolts while maintaining the integrity of the drywall fire wall enclosure.

NOTE: THIS UNIT WILL NOT ACCEPT A DOOR.



STATE HANDING WHEN ORDERING
HANDED BY THE SEAT
Right Hand Shown, Left Available

DUE TO THE NATURE OF THE MATERIALS
DIMENSIONS MAY VARY $\pm 1/2"$

ACCESSIBILITY PROFESSIONALS

Approved By Print Name:

Approved By Signature:

Rep.:

Wholesaler:

Drawing#: APF 6233 BFF COL .875 HBW
HSW FHDP CR Easy Base Right


Date: 10-8-08 Revised: 4-13-18

Quote No.:

ACCESSIBILITY PROFESSIONALS
4 ALLIANCE BLVD. UNIT 123 BARRIE, ONTARIO CANADA L4M 7G3
1 (877) 947-7769 - www.FreedomShowers.com

Backing Placement

SUBMITTAL DATA



DUE TO THE NATURE OF THE MATERIALS
DIMENSIONS MAY VARY $\pm 1/2"$

Job Name:	ACCESSIBILITY PROFESSIONALS	
Approved by Print Name:	Drawing#: APF 6233 BFF COL .875 HBW HSW FHDP CR FWB Easy Base Right-BP	
Approved by Signature:	Date:	Date: 12-16-99 Revised: 4-13-18
Rep.:	Wholesaler:	Quote No.:
ACCESSIBILITY PROFESSIONALS 4 ALLIANCE BLVD. UNIT 123 BARRIE, ONTARIO CANADA L4M 7G3 1 (877) 947-7769 - www.FreedomShowers.com		