



NOTES: UNLESS OTHERWISE SPECIFIED

- 1 MATERIAL: ASTM A36, HOT ROLLED STEEL, OR CENTERLINE STEEL, LLC APPROVED EQUIVALENT.
- 2 ALL DIMENSIONS ARE TO THEORETICAL SHARP.
- 3 REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
- 4 ALL DIMENSIONS ARE IN INCHES UNLESS STATED OTHERWISE.
- 5 PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
- 6 POWDER COAT PER MIL-PRF-24712A (TYPE 3, CLASS 3)



ISOMETRIC VIEW  
FOR REFERENCE ONLY

REVISION STATUS - ALL SHEETS ARE THE SAME REVISION				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	X1	DEVELOPMENT	01/24/2017	KRH



RELEASED

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		ENGINEER							
TOLERANCES ARE:		ENGINEER							
ANGLES		ENGINEER							
.XX ± .01	XX° ± 1°	CHECKED	CAS 01/24/2017						
.XXX ± .005		DRAWN	KRH 01/24/2017						
INTERPRET DRAWINGS IN ACCORDANCE WITH:		MANAGER APPROVAL		THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED, OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF CENTERLINE STEEL, LLC					
ASME Y14.100	ENGINEERING DRAWING PRACTICES	THIRD ANGLE PROJECTION							
ASME Y14.38	ABBREVIATIONS								
ASME Y14.5	DIMENSIONING AND TOLERANCING								
ASME Y14.6	SCREW THREAD REPRESENTATION	SIZE	D	CAGE CODE		DRAWING NO	FMB-8X6	REV	X1
ASME Y14.8	CASTINGS, FORGINGS & MOLDED PARTS	SCALE	1:1						
AWS A2.4	WELDING SYMBOLS	SHEET 1 OF 1							
IEEE STD 315	SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS								