METALWRAP-H W/MR-100 WINDOW PRIMARY WINDOW AND WINDOW -SUBSILL (BY OTHERS) SEAL (BY WINDOW CONTRACTOR) SEALANT -WINDOW SECONDARY (BY OTHERS) SEAL (BY OTHERS) SILL FLASH -SILL EXTENSION AND SUPPORT FLASHING-FLASH; SHIM TO ADHERE TO PRIMARY ALLOW VENTING. SILL FLASHING; FOLD TO FORM AN END DAM SUBGIRT THRU FASTENER AT JAMBS. TO SUPPORT SUBFRAMING PANEL THRU FASTENER -EACH STUD WOOD SUBSILL SUBFRAMING FASTENER ANCHORED INTO CENTER PRIMARY MEMBRANE OF METALWRAP MR-100 RAIL FLASHING (BY PANEL CONTINUOUS MR-100 CONTRACTOR) ATTACHMENT SYSTEM AT EACH -SEALANT BETWEEN PANEL SIDE JOINT (36" O.C.) PANEL LINER AND VERTICALLY AND FASTENED PRIMARY FLASH INTO EACH FRAMING MEMBER (16" TO 24" O.C.) SHOP APPLIED HORIZONTALLY AIR/VAPOR BARRIER SEALANT CSC-3 FLUSH PANEL CLIP CONCEPT SERIES -CS-260 PANEL STEEL STUD METALWRAP INSULATED 18 GA. MIN. BACK-UP PANEL - INTERIOR 1/3" SUBFRAMING **GYPSUM** AND AIR CAVITY BOARD NOTE: THESE DETAILS ARE FOR INSTALLATION AND SEALING OF METALWRAP PANELS ONLY. FOR INSTALLATION AND SEALING REQUIRED FOR FACE PANELS SEE CENTRIA STANDARD DETAILS FOR THE SPECIFIC FACE PANEL. Window Sill w/Concept Series **METALWI'AD** MR100-06 JANUARY 2018