


"SS-03-1" GABLE FILLER



"GT2" GABLE TRIM

ERECTOR NOTES:

1. THIS DETAIL IS TO BE USED ON PANEL LENGTHS OF 50'-0" OR LESS. EXPANSION DETAIL IS TO BE USED ON PANEL LENGTHS GREATER THAN 50'-0".
2. * IF "FSS-18" ROOF PANEL DOES NOT END ON A HIGH RIB THEN THE PANEL MUST BE FIELD SLIT ALLOWING FOR 2" TO BE BENT INTO A VERTICAL LEG AND USED IN CONJUNCTION WITH THE "SS-03-1" GABLE FILLER.
3. START GABLE TRIM @ EAVE & PROCEED UPWARDS CAULKING AND LAPPING EACH 4" MIN.
4. "A" DIMENSION VARIES DUE TO CONSTRUCTION VARIATIONS.

BOX 515 RAILROAD STREET
SANDY LAKE, PENNSYLVANIA 16145-0515
PHONE: 800-245-0396 ° FAX: 724-376-3864

"Fss-18" Standing Segm Details		Finish Gable Detail
DRAWN BY: RW	DATE: 7-13-00	DRAWING NO.
CHECKED BY: CANON	DATE:	FSS18-11B