



REFER TO SHEET "CI-INFO" FOR ADDITIONAL INFORMATION REGARDING THE APPLICATION OF SEALANTS, FASTENERS, AND CLOSURE MATERIALS. CONSULT METL-SPAN TO DETERMINE ALLOWABLE LOAD AND SPACING OF ATTACHMENT FASTENERS.

ROOF THICKNESS TR	WALL THICKNESS TW	RAKE TRIM	PEAK BOX	ROOF THICKNESS TR	ROOF THROUGH FASTENER TEK III	ROOF THROUGH FASTENER TEK 5	WALL THICKNESS TW	CLIP SCREW TEK III	CLIP SCREW TEK V	CLIP SCREW TYPE B
2" & 2.5" & 3"	2" & 2.5" & 3"	F3430	F5813	2"	1132PNC	1232PNC	2"	1616PNC	1724PNC	1816PNC
2" & 2.5" & 3"	4" & 5"	F3433	F5807							
2" & 2.5" & 3"	6"	F3330	F5819							
4" & 5"	2" & 2.5" & 3"	F3431	F5815	2.5"	1132PNC	1232PNC	2.5"	1624PNC	1732PNC	1824PNC
4" & 5"	4" & 5"	F3434	F5809	3"	1140PNC	1240PNC	3"	1624PNC	1732PNC	1824PNC
4" & 5"	6"	F3331	F5821	4"	1148PNC	1248PNC	4"	1632PNC	1740PNC	1832PNC
6"	2" & 2.5" & 3"	F3432	F5817	5"	1156PNC	1256PNC	5"	1640PNC	1748PNC	1840PNC
6"	4" & 5"	F3435	F5811	6"	1164PNC	1264PNC	6"	1648PNC	1750PNC	1848PNC
6"	6"	F3332	F5823							

CFR RAKE

APPLICATION:
COMMERCIAL & INDUSTRIAL

2-CFR-06
DATE: Nov. 9, 2016