


NOTE: HOISTWAY WIDTH AND DISTANCE FROM PLATFORM TO HOISTWAY WALL WILL VARY BASED ON SIZE OF JACK, TRAVEL, AND CAPACITY. CONSULT DEI ENGINEERING.

2100 LBS. 2 STAGE HOLELESS HYDRAULIC  
FRONT & REAR RIGHT OPENING

HOISTWAY PLAN  
ALL DIMENSIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
CONSULT NATIONWIDE LIFTS CO. FOR CONFIRMATION.



P: 888-695-4387, E: info@elevators.com



NOTE: HOISTWAY WIDTH AND DISTANCE FROM PLATFORM TO HOISTWAY WALL WILL VARY BASED ON SIZE OF JACK, TRAVEL, AND CAPACITY. CONSULT DEI ENGINEERING.


### HOISTWAY PLAN

ALL DIMENSIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. CONSULT NATIONWIDE LIFTS CO. FOR CONFIRMATION.

*2100 LBS. 2 STAGE HOLELESS HYDRAULIC  
FRONT & REAR LEFT OPENING*



P: 888-695-4387, E: info@elevators.com



NOTE: HOISTWAY WIDTH AND DISTANCE FROM PLATFORM TO HOISTWAY WALL WILL VARY BASED ON SIZE OF JACK, TRAVEL, AND CAPACITY. CONSULT DEI ENGINEERING.



2100 LBS. 2 STAGE HOLELESS HYDRAULIC  
FRONT & REAR CENTER OPENING

HOISTWAY PLAN  
ALL DIMENSIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
CONSULT NATIONWIDE LIFTS CO. FOR CONFIRMATION.



P: 888-695-4387, E: info@elevators.com

# 2100 LBS. 2 STAGE HOLELESS HYDRAULIC FRONT & REAR OPENING



## ELEVATION PLAN



P: 888-695-4387, E: info@elevators.com