



Tuesday, July 27, 2021 11:09:18 AM

POWERLIFT JUNIOR HEAD DETAIL (SOLID WOOD BUILDING HEAD MEMBER)



SECTION A-A
SCALE 1 : 8

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POWERLIFT DOORS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POWERLIFT DOORS IS PROHIBITED.




		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES		DRAWN	
		TOLERANCES:		CHECKED	
		FRACTIONAL ±		ENG APPR.	
		ANGULAR: MACH ± BEND ±		MFG APPR.	
		TWO PLACE DECIMAL ±		Q.A.	
		THREE PLACE DECIMAL ±		COMMENTS:	
		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14. 5-2009			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			

Part Number		N/A	
TITLE:			
Wood Jamb and Solid Wood Header			
SIZE	Door Type(s)	REV	
A	Junior	A	
SCALE: 1:25		WEIGHT:	SHEET 1 OF 3


POWERLIFT JUNIOR JAMB DETAIL (WOOD BUILDING JAMB MEMBER)

B

B



BB



BUILDING JAMB
2X6 OR LARGER MEMBERS
BY OTHERS - CONFIRM
WITH LOCAL POWERLIFT
REPRESENTATIVE
(SIZE AND RELATIVE
LOCATION MAY VARY)

POWERLIFT OUTSIDE
DOOR LEG MEMBER

SECTION B-B
SCALE 1 : 8

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF POWERLIFT
DOORS. ANY REPRODUCTION
IN PART OR AS A WHOLE
WITHOUT THE WRITTEN
PERMISSION OF POWERLIFT
DOORS IS PROHIBITED.



		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN		
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14. 5-2009			
		MATERIAL			
NEXT ASSY	USED ON	FINISH			
APPLICATION		DO NOT SCALE DRAWING			

Part Number		N/A
TITLE:		
Wood Jamb and Solid Wood Header		
SIZE	Door Type(s)	REV
A	Junior	A
SCALE: 1:25		WEIGHT: SHEET 2 OF 3

A


A

2

1


Tuesday, July 27, 2021 11:09:18 AM

POWERLIFT JUNIOR SILL DETAIL



B

B



CONCRETE/REBAR FOUNDATION
TO BE SPECIFIED AND
COMPLETED BY OTHERS

SECTION C-C
SCALE 1 : 10

POWERLIFT DOOR SEAL TO BE
INSTALLED TO FILL GAP (NOT SHOWN)

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF POWERLIFT
DOORS. ANY REPRODUCTION
IN PART OR AS A WHOLE
WITHOUT THE WRITTEN
PERMISSION OF POWERLIFT
DOORS IS PROHIBITED.



		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN		
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14. 5-2009			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			

Part Number	N/A	
TITLE:	Wood Jamb and Solid Wood Header	
SIZE	Door Type(s)	REV
A	Junior	A
SCALE: 1:25	WEIGHT:	SHEET 3 OF 3

A

A

2

1