

Uponor AquaPEX tubing riser size 1/2" through 3"

Appropriate firestop material (Must be Uponor AquaPEX compatible)

Use appropriate floor assembly per code

Mid-story guide required between each floor (typ)

Use appropriate wall assembly per code

Riser clamp required at the base of each floor

Wall-framing member

Refer to appropriate fire assembly listing for penetration requirements

Riser clamp required at the top of every-other floor to limit expansion and contraction to 20 ft

REVISIONS			
REV	ECO #	DATE	ENG
--	--	--	--
--	--	--	--
--	--	--	--
--	--	--	--
--	--	--	--
--	--	--	--
--	--	--	--
--	--	--	--

CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE

DO NOT SCALE DRAWING

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UPONOR. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF UPONOR IS PROHIBITED.

APPROVALS	DATE
DRAWN BY DESIGNER	08/11/2014
APPROVED BY APPROVED	

Uponor
5925 148TH STREET WEST
APPLE VALLEY, MN 55124
PHONE (952) 891-2000
FAX (952) 997-1731

RISER DETAIL

SIZE	DESCRIPTION	REV
A	HOT WATER RISER DETAIL	00

SCALE 1:1 SHEET 1 OF 1