

HPD UNIQUE IDENTIFIER: 1145056256

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: A liquid polymer designed to be used in place of water to increase performance of cement mortar beds, non-modified, thin-set mortars and cement-based grouts. It improves working characteristics and performance of cement-based mixes to boost water resistance, shock resistance and freeze-thaw capabilities for tile, stone or masonry installations. Increases performance of non-modified thin-set mortars for setting dense tile and setting over hard-to-bond surfaces. Thin-Set Mortar Admix can be used with non-modified, thin-set mortars such as, CustomBlend® Thin-Set Mortar and Uncoupling Mat Mortar. It can also be used with Saltillo Grout Mix.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Characterized/Screened/Identified status. Includes options for reporting format (Nested Materials Method, Basic Method), threshold levels (100 ppm, 1,000 ppm, Per GHS SDS, Other), and evaluation options (Completed, Partially Completed, Not Completed).

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE  
THIN-SET & MORTAR ADMIX [ WATER BM-4 UNDISCLOSED LT-UNK  
UNDISCLOSED LT-UNK | EYE | MAM | SKI UNDISCLOSED LT-UNK  
UNDISCLOSED LT-UNK | SKI ]

Number of Greenscreen BM-4/BM3 contents ... 1  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...  
None  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.6 Regulatory (g/l): 0.6  
Does the product contain exempt VOCs: No  
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario  
VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.  
Pre-checked for LEED v4 Option 2.  
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2024-01-17
PUBLISHED DATE: 2024-01-17
EXPIRY DATE: 2027-01-17

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### THIN-SET & MORTAR ADMIX

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

#### WATER

ID: 7732-18-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-01-17 8:04:41**

%: **80.0000 - 90.0000**

GreenScreen: **BM-4**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Diluent**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

EXEMPT

European Union / European Commission (EU EC)

EU - REACH Exemptions

Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

#### UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-01-17 8:04:42**

%: **8.0000 - 16.0000**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2024-01-17 8:04:42</b>		
%: <b>0.0000 - 3.0000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Accelerator</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)		
		Enzymes and Stabilizers - Green Circle (Verified Low Concern)		
SUBSTANCE NOTES: Ranges given due to batch to batch variability.				

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2024-01-17 8:04:42</b>		
%: <b>0.5000 - 0.7500</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Impurity/Residual</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Ranges given due to batch to batch variability.				

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2024-01-17 8:04:42</b>		
%: <b>0.0000 - 0.0010</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Antimicrobial Pesticide</b>

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-06-14 00:00:00	CERTIFIER OR LAB: Self Declared
APPLICABLE FACILITIES: ALL	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Not compliant with CDPH V1.2-2017 due to 4-PCH.		

  

VOC CONTENT	VOC Content	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-01-31 00:00:00	CERTIFIER OR LAB: SELF-DECLARED
APPLICABLE FACILITIES: ALL	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Must be used in conjunction with a cementitious mortar or bedding material.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Custom Building Products**  
 ADDRESS: **10400 Pioneer Blvd Unit 3**  
**Santa Fe Springs, California 90670**  
 COUNTRY: **United States**

WEBSITE:  
**http://www.custombuildingproducts.com/products/setting-materials/additives/thin-set-mortar-admix.aspx#**  
 CONTACT NAME: **Tim Kennedy**  
 TITLE: **Compliance Manager**  
 PHONE: **(470) 681-5332**  
 EMAIL: **technicalservicedepartment@cbpmail.net**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through*

*transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*