

Report No.: MAN:HL:1348003737 DATE: 14th May, 2022

**GARWARE HI-TECH FILMS LIMITED** AURANGABAD - PUNE ROAD

P.O. WALUJ AURANGABAD 431133

**INDIA** 

**CONTACT PERSON**: PK NAIKNAWARE

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS:

**SAMPLE DESCRIPTION** 

QDP CERAMIC CHARCOAL 38

LAB IDENTIFIED SAMPLE ORDER NO.

PLASTIC SHEET

**COLOUR** 

2300011775 CHARCOAL

SAMPLE RECD ON

25/04/2022

**TEST PERFORMING DATE** 

25/04/2022 TO 13/05/2022

**TEST REQUESTED** 

Two hundred and twenty three (223) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before

Jan 17, 2022 regarding Regulation (EC) No 1907/2006 concerning the REACH.

### SUMMARY:

According to the specified scope and analytical techniques, concentrations of tested SVHC are ≤ 0.1% (w/w) **PASS** in the submitted sample.

TEST METHOD & RESULT(S) PLEASE REFER TO NEXT PAGE(S)

Per Pro SGS India Pvt. Ltd.

SANDIP BHUSHAN (Technical Manager)

**Authorized Signatory** 

Email your Test Report Related Enquiries at Feedback.HLT@ss.com

JOE No.: 2248801558 4925434 Page 1 of 11 Control No.:1348505186

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.c and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Connectivity and Products, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600



Report No.: MAN:HL:1348003737 **DATE: 14th May, 2022** 

### Remark:

- The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:
  - https://echa.europa.eu/candidate-list-table(Candidate list)

The lists are under evaluation by ECHA and may subject to change in the future.

- In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).
- Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.
- Companies supplying articles containing substances of very high concern (SVHCs) on the Candidate List in a concentration above 0.1% weight by weight (w/w) on the EU market must comply with the Waste Framework Directive 2008/98/EC requirement and submit SCIP notifications on these articles to ECHA, as from 5 January 2021.

https://echa.europa.eu/scip

Tested Item: QDP CERAMIC CHARCOAL 38 (Plastic Sheet)

JOE No.: 2248801558 4925434 Page 2 of 11 Control No.: 1348505186 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.cd

and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Connectivity and Products, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600



Report No.: MAN:HL:1348003737 **DATE: 14th May, 2022** 

### **Test Method:**

SGS In-House method - Analyzed by ICP-MS/OES, GC-MS, UV-VIS, HPLC-DAD, HPLC-MS and colorimetric method

# **Test Result**

No.	Substance Name	CAS No. / EC No.	RL (%)	Concentration (%)
-	All tested SVHC	-	-	ND

#### Notes:

- 1. RL = Reporting Limit. All RL are based on homogenous material ND = Not detected (lower than RL), ND is denoted on the SVHC substance.
- 2. \* The test result is based on the calculation of selected element(s) / marker(s) and to the worst-case scenario.

The client is advised to review the chemical formulation to ascertain above metal substances present in the article.

RL = 0.01% is evaluated for element (i.e. cobalt, arsenic, lead, chromium (VI), aluminum, zirconium, boron, strontium, zinc, antimony, titanium, barium and cadmium respectively), except molybdenum RL=0.001%, boron RL=0.005% (only for Lead bis(tetrafluoroborate)), chromium (VI) RL=0.005% (only for Pentazinc chromate octahydroxide).

- 3. The table above only shows detected SVHC, and SVHC that below RL are not reported. Please refer to Appendix for the full list of tested SVHC.
- 4. Testing has been subcontracted to SGS Chennai lab.
- Testing has been performed as per customer request. 5.

JOE No.: 2248801558 4925434 Page 3 of 11 Control No.:1348505186 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/te

and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Connectivity and Products, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600



Report No.: MAN:HL:1348003737 **DATE: 14th May, 2022** 

## **Appendix**

No.	Substance Name	CAS No./ EC No.	RL (%)	No.	Substance Name	CAS No./ EC No.	RL (%)
Cano	lidate List of Substances of Very High	Concern (SVHC	c) for auth	oriza	tion published on Oct 28, 2008		
1	4,4'-Diaminodiphenylmethane (MDA)	101-77-9/ 202-974-4	0.010	2	5-tert-butyl-2,4,6-trinitro- <i>m</i> -xylene (musk xylene)	81-15-2/ 201-329-4	0.010
3	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8/ 287-476-5	0.010	4	Anthracene	120-12-7/ 204-371-1	0.010
5	Benzyl butyl phthalate (BBP)	85-68-7/ 201-622-7	0.010	6	Bis(2-ethylhexyl)phthalate (DEHP)	117-81-7/ 204-211-0	0.010
7	Bis(tributyltin)oxide (TBTO)	56-35-9/ 200-268-0	0.010	8	Cobalt dichloride*	7646-79-9/ 231-589-4	0.005
9	Diarsenic pentaoxide*	1303-28-2/ 215-116-9	0.005	10	Diarsenic trioxide*	1327-53-3/ 215-481-4	0.005
11	Dibutyl phthalate (DBP)	84-74-2/ 201-557-4	0.010	12	Hexabromocyclododecane (HBCDD) <del>and all major</del> <del>diastereoisomers identified (α- HBCDD, β-HBCDD, γ-HBCDD)</del>	-	0.010
13	Lead hydrogen arsenate*	7784-40-9/ 232-064-2	0.005	14	Sodium dichromate*	7789-12-0 10588-01-9/ 234-190-3	0.005
15	Triethyl arsenate*	15606-95-8/ 427-700-2	0.005				
Cano	lidate List of Substances of Very High	Concern (SVHC	c) for auth	oriza	tion published on Jan 13, 2010		
16	2,4-Dinitrotoluene	121-14-2/ 204-450-0	0.010	17	Anthracene oil*	90640-80-5/ 292-602-7	0.010
18	Anthracene oil, anthracene paste*	90640-81-6/ 292-603-2	0.010	19	Anthracene oil, anthracene paste, anthracene fraction*	91995-15-2/ 295-275-9	0.010
20	Anthracene oil, anthracene paste; distn. Lights*	91995-17-4/ 295-278-5	0.010	21	Anthracene oil, anthracene-low*	90640-82-7/ 292-604-8	0.010
22	Diisobutyl phthalate	84-69-5/ 201-553-2	0.010	23	Lead chromate molybdate sulfate red (C.I. Pigment Red 104)*	12656-85-8/ 235-759-9	0.005
24	Lead chromate*	7758-97-6/ 231-846-0	0.005	25	Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2/ 215-693-7	0.005
26	Pitch, coal tar, high temp.*	65996-93-2/ 266-028-2	0.010	27	Tris(2-chloroethyl)phosphate	115-96-8/ 204-118-5	0.010
Cano	lidate List of Substances of Very High	Concern (SVHC	c) for auth	oriza	tion published on Mar 30, 2010		
28	Acrylamide	79-06-1/ 201-173-7	0.010				
Cano	didate List of Substances of Very High	Concern (SVHC	c) for auth	oriza	tion published on Jun 18, 2010		
29	Ammonium dichromate*	7789-09-5/ 232-143-1	0.005	30	Boric acid*	-	0.005
31	Disodium tetraborate, anhydrous*	1303-96-4 1330-43-4 12179-04-3/ 215-540-4	0.005	32	Potassium chromate*	7789-00-6/ 232-140-5	0.005

Page 4 of 11 JOE No.: 2248801558 4925434

Control No.:1348505186

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.cd and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Connectivity and Products, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600



**DATE: 14th May, 2022** Report No.: MAN:HL:1348003737

_							
No.	Substance Name	CAS No./ EC No.	RL (%)	No.	Substance Name	CAS No./ EC No.	RL (%)
33	Potassium dichromate*	7778-50-9/ 231-906-6	0.005	34	Sodium chromate*	7775-11-3/ 231-889-5	0.005
35	Tetraboron disodium heptaoxide, hydrate*	12267-73-1/ 235-541-3	0.005	36	Trichloroethylene	79-01-6/ 201-167-4	0.010
	Candidate List of Substa	nces of Very Hig	h Concer	n (SV	HC) for authorization published on De	ec 15, 2010	
37	2-Ethoxyethanol	110-80-5/ 203-804-1	0.010	38	2-Methoxyethanol	109-86-4/ 203-713-7	0.010
39	Acids generated from chromium trioxide and their oligomers*: Chromic acid Dichromic acid Oligomers of chromic acid and dichromic acid*	-	0.005	40	Chromium trioxide*	1333-82-0/ 215-607-8	0.005
41	Cobalt(II) carbonate*	513-79-1/ 208-169-4	0.005	42	Cobalt(II) diacetate*	71-48-7/ 200-755-8	0.005
43	Cobalt(II) dinitrate*	10141-05-6/ 233-402-1	0.005	44	Cobalt(II) sulphate*	10124-43-3/ 233-334-2	0.005
	Candidate List of Substa	nces of Very Hig	h Concer	n (SV	/HC) for authorization published on Ju	n 20, 2011	
45	1,2,3-Trichloropropane	96-18-4/ 202-486-1	0.010	46	1,2-Benzenedicarboxylic acid, di- C6-8-branched alkyl esters, C7-rich	71888-89-6/ 276-158-1	0.010
47	1,2-Benzenedicarboxylic acid, di- C7-11-branched and linear alkyl esters	68515-42-4/ 271-084-6	0.010	48	1-Methyl-2-pyrrolidone	872-50-4/ 212-828-1	0.010
49	2-Ethoxyethyl acetate	111-15-9/ 203-839-2	0.010	50	Hydrazine	7803-57-8 302-01-2/ 206-114-9	0.010
51	Strontium chromate*	7789-06-2/ 232-142-6	0.005				
	Candidate List of Substa	nces of Very Hig	h Concer	n (SV	HC) for authorization published on De	ec 19, 2011	
52	1,2-Dichloroethane	107-06-2/ 203-458-1	0.010	53	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4/ 202-918-9	0.010
54	2-Methoxyaniline	90-04-0/ 201-963-1	0.010	55	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9/ 205-426-2	0.010
56	Aluminosilicate Refractory Ceramic Fibres*	-	0.005	57	Arsenic acid*	7778-39-4/ 231-901-9	0.005
58	Bis(2-methoxyethyl) ether	111-96-6/ 203-924-4	0.010	59	Bis(2-methoxyethyl) phthalate	117-82-8/ 204-212-6	0.010
60	Calcium arsenate*	7778-44-1/ 231-904-5	0.005	61	Dichromium tris(chromate)*	24613-89-6/ 246-356-2	0.005
62	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4/ 500-036-1	0.010	63	Lead diazide*	13424-46-9/ 236-542-1	0.005
64	Lead dipicrate*	6477-64-1/ 229-335-2	0.005	65	Lead styphnate*	15245-44-0/ 239-290-0	0.005
66	N,N-dimethylacetamide (DMAC)	127-19-5/ 204-826-4	0.010	67	Pentazinc chromate octahydroxide*	49663-84-5/ 256-418-0	0.005

Page 5 of 11 JOE No.: 2248801558 4925434

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms">http://www.sgs.com/terms</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Connectivity and Products, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600



Report No.: MAN:HL:1348003737 **DATE: 14th May, 2022** 

		_					
		CAS No./				CAS No./	
No.	Substance Name	EC No.	RL (%)	No.	Substance Name	EC No.	RL (%)
68	Phenolphthalein	77-09-8/ 201-004-7	0.010	69	Potassium hydroxyoctaoxodizincatedichromate *	11103-86-9/ 234-329-8	0.005
70	Trilead diarsenate*	3687-31-8/ 222-979-5	0.005	71	Zirconia Aluminosilicate Refractory Ceramic Fibres*	650-017-00-8 (Index no.)	0.005
	Candidate List of Substa	nces of Very Hig	ıh Concer	rn (S∖	/HC) for authorization published on Ju	n 18, 2012	
72	[4-[[4-anilino-1-naphthyl][4- (dimethylamino)phenyl]methylene]c yclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)	2580-56-5/ 219-943-6	0.010	73	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5- dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3)	548-62-9/ 208-953-6	0.010
74	1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme)	112-49-2/ 203-977-3	0.010	75	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4/ 203-794-9	0.010
76	4,4'-bis(dimethylamino) benzophenone (Michler's Ketone)	90-94-8/ 202-027-5	0.010	77	4,4'-bis(dimethylamino)-4"- (methylamino)trityl alcohol	561-41-1/ 209-218-2	0.010
78	Diboron trioxide*	1303-86-2/ 215-125-8	0.005	79	Formamide	75-12-7/ 200-842-0	0.010
80	Lead(II) bis(methanesulfonate)*	17570-76-2/ 401-750-5	0.005	81	N,N,N',N'-tetramethyl-4,4'- methylenedianiline (Michler's base)	101-61-1/ 202-959-2	0.010
82	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione) 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	2451-62-9/ 219-514-3	0.010	83	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1- methanol (C.I. Solvent Blue 4)	6786-83-0/ 229-851-8	0.010
84	β-TGIC (1,3,5-tris[(2S and 2R)-2,3- epoxypropyl]-1,3,5-triazine-2,4,6- (1H,3H,5H) trione) 1,3,5-tris[(2S and 2R)-2,3- epoxypropyl]-1,3,5-triazine-2,4,6- (1H,3H,5H)-trione (β-TGIC)	59653-74-6/ 423-400-0	0.010				
	Candidate List of Substa	nces of Very Hig	h Concer	n (SV	/HC) for authorization published on De	ec 19, 2012	
85	[Phthalato(2-)]dioxotrilead*	69011-06-9/ 273-688-5	0.005	86	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0/ 284-032-2	0.010
87	1,2-Diethoxyethane	629-14-1/ 211-076-1	0.010	88	1-Bromopropane	106-94-5/ 203-445-0	0.010
89	3-Ethyl-2-methyl-2-(3-methylbutyl)- 1,3-oxazolidine	143860-04-2/ 421-150-7	0.010	90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated	-	0.010
91	4,4'-Methylenedi-o-toluidine	838-88-0/ 212-658-8	0.010	92	4,4'-Oxydianiline 4,4'-oxydianiline and its salts	<del>101-80-4/</del> <del>202-977-0</del> -	0.010
93	4-Aminoazobenzene	60-09-3/ 200-453-6	0.010	94	4-Methyl- <i>m</i> -phenylenediamine	95-80-7/ 202-453-1	0.010
95	4-Nonylphenol, branched and linear	-	0.010	96	6-Methoxy-m-toluidine	120-71-8/ 204-419-1	0.010
97	Acetic acid, lead salt, basic*	51404-69-4/ 257-175-3	0.005	98	Biphenyl-4-ylamine	92-67-1/ 202-177-1	0.010
99	Bis(pentabromophenyl) ether (DecaBDE)	1163-19-5/ 214-604-9	0.010	100	C,C'-azodi(formamide) (ADCA)	123-77-3/ 204-650-8	0.010

Page 6 of 11 JOE No.: 2248801558 4925434

Control No.:1348505186

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/ter and, for electronic format documents, subject to its General Conditions for Electronic Documents at <a href="https://www.sgs.com/terms e-document.htm">www.sgs.com/terms e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Connectivity and Products, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600



Report No.: MAN:HL:1348003737 **DATE: 14th May, 2022** 

No.	Substance Name	CAS No./ EC No.	RL (%)	No.	Substance Name	CAS No./ EC No.	RL (%)
101	Dibutyltin dichloride (DBTC)	683-18-1/ 211-670-0	0.010	102	Diethyl sulphate	64-67-5/ 200-589-6	0.010
103	Diisopentylphthalate (DIPP)	605-50-5/ 210-088-4	0.010	104	Dimethyl sulphate	77-78-1/ 201-058-1	0.010
105	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7/ 201-861-7	0.010	106	Dioxobis(stearato)trilead*	12578-12-0/ 235-702-8	0.005
107	Fatty acids, C16-18, lead salts*	91031-62-8/ 292-966-7	0.005	108	Furan	110-00-9/ 203-727-3	0.010
109	Henicosafluoroundecanoic acid	2058-94-8/ 218-165-4	0.010	110	Heptacosafluorotetradecanoic acid	376-06-7/ 206-803-4	0.010
111	Cyclohexane-1,2-dicarboxylic anhydride	-	0.010	112	Hexahydromethylphthalic anhydride	-	0.010
113	Lead bis(tetrafluoroborate)*	13814-96-5/ 237-486-0	0.005	114	Lead cyanamidate*	20837-86-9/ 244-073-9	0.005
115	Lead dinitrate*	10099-74-8/ 233-245-9	0.005	116	Lead monoxide*	1317-36-8/ 215-267-0	0.005
117	Lead oxide sulphate*	12036-76-9/ 234-853-7	0.005	118	Lead tetroxide*	1314-41-6/ 215-235-6	0.005
119	Lead titanium trioxide*	12060-00-3/ 235-038-9	0.005	120	Lead titanium zirconium oxide*	12626-81-2/ 235-727-4	0.005
121	Methoxyacetic acid	625-45-6/ 210-894-6	0.010	122	N,N-Dimethylformamide	68-12-2/ 200-679-5	0.010
123	N-Methylacetamide	79-16-3/ 201-182-6	0.010	124	N-Pentyl-isopentylphthalate	776297-69-9 /-	0.010
125	o-Aminoazotoluene	97-56-3/ 202-591-2	0.010	126	o-Toluidine	95-53-4/ 202-429-0	0.010
127	Pentacosafluorotridecanoic acid	72629-94-8/ 276-745-2	0.010	128	Pentalead tetraoxide sulphate*	12065-90-6/ 235-067-7	0.005
129	Methyloxirane (Propylene oxide)	75-56-9/ 200-879-2	0.010	130	Pyrochlore, antimony lead yellow*	8012-00-8/ 232-382-1	0.005
131	Silicic acid, barium salt, lead-doped*	68784-75-8/ 272-271-5	0.005	132	Silicic acid, lead salt*	11120-22-2/ 234-363-3	0.005
133	Sulfurous acid, lead salt, dibasic*	62229-08-7/ 263-467-1	0.005	134	Tetraethyllead*	78-00-2/ 201-075-4	0.005
135	Tetralead trioxide sulphate*	12202-17-4/ 235-380-9	0.005	136	Tricosafluorododecanoic acid	307-55-1/ 206-203-2	0.010
137	Trilead bis(carbonate)dihydroxide*	1319-46-6/ 215-290-6	0.005	138	Trilead dioxide phosphonate*	12141-20-7/ 235-252-2	0.005
	Candidate List of Substa	nces of Very Hig	h Concer	n (SV	/HC) for authorization published on Ju	n 20, 2013	
139	4-Nonylphenol, branched and linear, ethoxylated	-	0.010	140	Ammoniumpentadecafluoro octanoate (APFO)	3825-26-1/ 223-320-4	0.010
141	Cadmium	7440-43-9/ 231-152-8	0.005	142	Cadmium oxide*	1306-19-0/ 215-146-2	0.005
143	<del>Di-n-pentyl phthalate</del> Dipentyl phthalate (DPP)	131-18-0/ 205-017-9	0.010	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1/ 206-397-9	0.010
	Candidate List of Substa	nces of Very Hig	h Concer	n (SV	(HC) for authorization published on De	ec 16, 2013	

Page 7 of 11 JOE No.: 2248801558 4925434 Control No.:1348505186 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/ter

and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the

sample(s) tested and such sample(s) are retained for 30 days only.

Connectivity and Products, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600



Report No.: MAN:HL:1348003737 **DATE: 14th May, 2022** 

				_			
No.	Substance Name	CAS No./ EC No.	RL (%)	No.	Substance Name	CAS No./ EC No.	RL (%)
145	Cadmium sulphide*	1306-23-6/ 215-147-8	0.005	146	Dihexyl phthalate	84-75-3/ 201-559-5	0.010
147	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0/ 209-358-4	0.010	148	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7/ 217-710-3	0.010
149	Imidazolidine-2-thione; 2-imidazoline-2-thiol	96-45-7/ 202-506-9	0.010	150	Lead di(acetate)*	301-04-2/ 206-104-4	0.005
151	Trixylyl phosphate	25155-23-1/ 246-677-8	0.010				
	Candidate List of Substa	nces of Very Hig	h Concer	n (SV	/HC) for authorization published on Ju	ın 16, 2014	
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4/ 271-093-5	0.010	153	Cadmium chloride*	10108-64-2/ 233-296-7	0.005
154	Sodium perborate; perboric acid, sodium salt*	-	0.005	155	Sodium peroxometaborate*	7632-04-4/ 231-556-4	0.005
	Candidate List of Substa	nces of Very Hig	h Concer	n (SV	HC) for authorization published on D	ec 17, 2014	
156	2-benzotriazol-2-yl-4,6-di-tert- butylphenol (UV-320)	3846-71-7 / 223-346-6	0.010	157	2-(2H-benzotriazol-2-yl)-4,6- ditertpentylphenol (UV-328)	25973-55-1 / 247- 384-8	0.010
158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7- oxo-8-oxa-3,5-dithia-4- stannatetradecanoate; DOTE	15571-58-1 / 239-622-4	0.010	159	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	-	0.010
160	Cadmium fluoride*	7790-79-6 / 232-222-0	0.005	161	Cadmium sulphate*	10124-36-4; 31119-53-6 / 233- 331-6	0.005
	Candidate List of Substa	ances of Very Hig	h Conce	n (S\	/HC) for authorization published on J	un15, 2015	
162	1,2-benzenedicarboxylic acid, di-C6- 10-alkyl esters or mixed decyl and hexyl and octyl diesters	-	0.010	163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	0.010
	Candidate List of Substan	nces of Very High	n Conceri	ı (SV	HC) for authorization published on De	ec 17, 2015,	
164	1,3-propanesultone	1120-71-4 / 214-317-9	0.010	165	2,4-di-tert-butyl-6-(5- chlorobenzotriazol-2-yl)phenol (UV- 327)	3864-99-1 / 223- 383-8	0.010
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3 / 253-037-1	0.010	167	Nitrobenzene	98-95-3 / 202-716-0	0.010
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts (PFNA)	-	0.010				

Page 8 of 11 JOE No. : 2248801558 4925434 Control No.:1348505186

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms">http://www.sgs.com/terms</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Connectivity and Products, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600



Report No. : MAN:HL:1348003737 **DATE: 14th May, 2022** 

ı										
No.	Substance Name	CAS No./ EC No.	RL (%)	No.	Substance Name	CAS No./ EC No.	RL (%)			
	Candidate List of Substa	inces of Very Hig	h Concer	n (S∖	/HC) for authorization published on Ju	ın 20, 2016				
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8 / 200- 028-5	0.010							
	Candidate List of Substances of Very High Concern (SVHC) for authorization published on Jan 12, 2017									
170	4,4'-lsopropylidenediphenol (Bisphenol A)	80-05-7 / 201- 245-8	0.010	171	4-Heptylphenol, branched and linear	-	0.010			
172	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salt	-	0.010	173	p-(1,1-dimethylpropyl)phenol	80-46-6 / 201-280-9	0.010			
	Candidate List of Subst	ances of Very Hi	gh Conce	ern (S	VHC) for authorization published on J	lul 7, 2017				
174	Perfluorohexane-1-sulphonic acid and its salts	-	0.010							
	Candidate List of Substa	nces of Very Hig	h Concer	n (SV	/HC) for authorization published on Ja	an 15, 2018				
175	Benz[a]anthracene	56-55-3; 1718- 53-2/ 200-280-6	0.010	176	Cadmium carbonate*	513-78-0/ 208-168-9	0.005			
177	Cadmium hydroxide*	21041-95-2/ 244-168-5	0.005	178	Cadmium nitrate*	<del>10022-68-1;</del> 10325-94-7/ 233- 710-6	0.005			
179		218-01-9; 1719- 03-5/ 205-923-4	0.010	180	Dodecachloropentacyclo[12.2.1.1 <sup>6,9</sup> .0 <sup>2,13</sup> .0 <sup>5,10</sup> ]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and synisomers or any combination thereof] 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10] octadeca-7,15-diene ("Dechlorane Plus"™)	-	0.010			
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	-	0.010							
	Candidate List of Substa	nces of Very Hig	h Concer	n (SV	(HC) for authorization published on Ju	ın 27, 2018				
182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (TMA)	552-30-7 / 209- 008-0	0.010	183	Benzo[ghi]perylene	191-24-2 / 205-883-8	0.010			
184	Decamethylcyclopentasiloxane (D5)	541-02-6 / 208- 764-9	0.010	185	Dicyclohexyl phthalate (DCHP)	84-61-7 / 201-545-9	0.010			
186	Disodium octaborate*	12008-41-2 / 234-541-0	0.005	187	Dodecamethylcyclohexasiloxane (D6)	540-97-6 / 208-762-8	0.010			
188	Ethylenediamine (EDA)	107-15-3 / 203- 468-6	0.010	189	Lead	7439-92-1 / 231- 100-4	0.005			
190	Octamethylcyclotetrasiloxane (D4)	556-67-2 / 209- 136-7	0.010	191	Terphenyl, hydrogenated	61788-32-7 / 262- 967-7	0.010			
	Candidate List of Substa	nces of Very Hig	h Concer	n (SV	/HC) for authorization published on Ja	an 15, 2019				
192	2,2-Bis(4'-hydroxyphenyl)-4- methylpentane	6807-17-6 / 401-720-1	0.010	193	Benzo[k]fluoranthene	207-08-9 / 205-916-6	0.010			

Page 9 of 11 JOE No.: 2248801558 4925434

Control No.:1348505186

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Connectivity and Products, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600



**DATE: 14th May, 2022** Report No.: MAN:HL:1348003737

						-			
No.	Substance Name	CAS No./ EC No.	RL (%)	No.	Substance Name	CAS No./ EC No.	RL (%)		
194	Fluoranthene	206-44-0 / 205- 912-4	0.010	195	Phenanthrene	85-01-8 / 201- 581-5	0.010		
196	Pyrene	129-00-0 / 204- 927-3	0.010	197	1,7,7-trimethyl-3- (phenylmethylene)bicyclo[2.2.1]hept an-2-one	15087-24-8 / 239- 139-9	0.010		
	Candidate List of Substa	ances of Very Hig	jh Conce	n (S\	/HC) for authorization published on Ju	ul 16, 2019			
198	2,3,3,3-Tetrafluoro-2- (heptafluoropropoxy)propionic acid, its salts and its acyl halides [covering any of their individual isomers and combinations thereof]		0.010	199	2-Methoxyethyl acetate	110-49-6 / 203-772-9	0.010		
200	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)		0.010	201	4-tert-butylphenol	98-54-4 / 202- 679-0	0.010		
	Candidate List of Substances of Very High Concern (SVHC) for authorization published on Jan 16, 2020								
202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1 / 404-360-3	0.010	203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5 / 400- 600-6	0.010		
204	Diisohexyl phthalate	71850-09-4 / 276-090-2	0.010	205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	0.010		
	Candidate List of Substa	inces of Very Hig	h Concer	n (SV	/HC) for authorization published on Ju	ın 25, 2020			
206	1-Vinylimidazole	1072-63-5 / 214-012-0	0.010	207	2-Methylimidazole	693-98-1 / 211-765-7	0.010		
208	Butyl 4-hydroxybenzoate	94-26-8 / 202- 318-7	0.010	209	Dibutylbis(pentane-2,4-dionato- O,O')tin	22673-19-4 / 245- 152-0	0.010		
	Candidate List of Substa	inces of Very Hig	h Concer	n (S∖	/HC) for authorization published on Ja	an 19, 2021			
210	Bis(2-(2-methoxyethoxy)ethyl)ether	143-24-8 / 205- 594-7	0.010	211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	-	0.010		
	Candidate List of Subst	ances of Very Hi	gh Conce	rn (S	VHC) for authorization published on J	lul 8, 2021			
212	1,4-dioxane	123-91-1 / 204- 661-8	0.010	213	2,2-bis(bromomethyl)propane-1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)	-	0.010		
214	2-(4-tert- butylbenzyl)propionaldehyde and its individual stereoisomers	-	0.010	215	4,4'-(1-methylpropylidene)bisphenol	77-40-7 / 201- 025-1	0.010		
216	Glutaral	111-30-8 / 203- 856-5	0.010	217	Medium-chain chlorinated paraffins (MCCP) (UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17)	-	0.010		

Page 10 of 11 JOE No.: 2248801558 4925434 Control No.:1348505186

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sg and, for electronic format documents, subject to its General Conditions for Electronic Documents at <a href="https://www.sgs.com/terms e-document.htm">www.sgs.com/terms e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Connectivity and Products, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600



combinations thereof (4-MBC) S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or

or

O-(isopropyl

2-ethylhexyl)

222 2-ethylhexyl)

phosphorodithioate

isobutyl

### **TEST REPORT**

Report No.: MAN:HL:1348003737 **DATE: 14th May, 2022** 


No.	Substance Name	CAS No./ EC No.	RL (%)	No.	Substance Name	CAS No./ EC No.	RL (%)
218	Orthoboric acid, sodium salt	-	0.005		Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	-	0.010
	Candidate List of Substa	inces of Very Hig	h Concer	n (S\	/HC) for authorization published on Ja	n 17, 2022	
220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2. 1]heptan-2-one covering any of the individual isomers and/or	-	0.010	221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC)	119-47-1 / 204- 327-1	0.010

223 tris(2-methoxyethoxy)vinylsilane

0.010

255881-94-8 /

401-850-9



\*\*\*\*\* END OF REPORT\*\*\*\*\*

JOE No.: 2248801558 4925434 Page 11 of 11 Control No.:1348505186

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/ter and, for electronic format documents, subject to its General Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document, thm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Connectivity and Products, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600

1067-53-4 / 213-

934-0

0.010