

1 Identification

- **Product identifier:** 325-77-61 (C)
- **Trade name:** **KEMPERDUR® TC Traffic Coating - Component C**
- **Other means of identification**
- **Item number(s):** 325-77-61 (C)
- **SDS Number:** 120
- **Application of the substance / the mixture** TRAFFIC COATING
- **Manufacturer/Supplier:**
USA ADDRESS:
KEMPER SYSTEM AMERICA, INC.
1200 NORTH AMERICA DR,
WEST SENECA, NY 14224
PH (716) 558-2971

CANADIAN ADDRESS:
Abicor Group Canada, Inc.
4-7075 EDWARDS BLVD
MISSISSAUGA, ONTARIO, L5S 1Z2
PH (905) 624-5463
- **Information department:**
Tel: (716) 712-9931
www.kempersystem.net
- **Emergency telephone number:**
Hazmat Line: (888) 890-9049 /+1(656) 240-3099 (International number)
Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard identification

- **Classification of the substance or mixture:**



GHS08 Health hazard

Carcinogenicity - Category 1A

H350 May cause cancer. Route of exposure: Inhalation.

Specific target organ toxicity (repeated exposure) – Category 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Signal word:** Danger

- **Hazard-determining components of labeling:**

Quartz (SiO₂)

- **Hazard statements:**

H350 May cause cancer. Route of exposure: Inhalation.

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- **Precautionary statements:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash thoroughly after handling.

(Contd. on page 2)

Safety Data Sheet

according to HPR & OSHA

Date of issue 01/15/2026

Version number 3


Revision: 03/19/2025

Trade name: KEMPERDUR® TC Traffic Coating - Component C

(Contd. of page 1)

- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Information pertaining to particular dangers for man and environment:**
- **NFPA ratings (scale 0 - 4):**



Health = 0
Fire = 0
Reactivity = 0

3 Composition/Information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

14808-60-7	Quartz (SiO ₂)	80-100% w/w *
------------	----------------------------	---------------

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- **General information:** No special measures required.
- **After inhalation:**
Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed:**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

5 Fire-fighting measures

- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:** Not required

(Contd. on page 3)

CA

Safety Data Sheet

according to HPR & OSHA

Date of issue 01/15/2026

Version number 3

Revision: 03/19/2025

Trade name: KEMPERDUR® TC Traffic Coating - Component C

(Contd. of page 2)

- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections:**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/ Personal protection

- **Components with limit values that require monitoring at the workplace:**

14808-60-7 Quartz (SiO₂)

EL (Canada)	TWA: 0.025 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	TWA: 0.10* mg/m ³ *respirable fraction
PEL (USA)	TWA: 0.05* mg/m ³ *resp. dust; 30mg/m ³ /%SiO ₂ +2
REL (USA)	TWA: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV (USA)	TWA: 0.025* mg/m ³ *respirable particulate matter, A2

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves:**
Protective gloves not normally required. People with sensitive skin may prefer to wear water-proof gloves, such as rubber or neoprene, to avoid skin contact.
- **Eye protection:** Not required

9 Physical and chemical properties

- **Color:** According to product specification
- **Odor:** Odorless

(Contd. on page 4)

CA

Safety Data Sheet

according to HPR & OSHA

Date of issue 01/15/2026

Version number 3

Revision: 03/19/2025

Trade name: **KEMPERDUR® TC Traffic Coating - Component C**

(Contd. of page 3)

· Odor threshold:	Not determined
· Melting point/Melting range:	Undetermined
· Boiling point/Boiling range:	2,230 °C
· Explosion limits	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	Not applicable
· Decomposition temperature:	Not determined
· pH-value:	Not applicable
· Viscosity:	
· Kinematic:	Not applicable
· Dynamic:	Not applicable
· Solubility in / Miscibility with	
· Water:	Insoluble.
· Vapor pressure:	Not applicable
· Vapor pressure:	
· Density:	Not determined
· Vapor density:	Not applicable
· Particle characteristics	Not determined
· Other information	
· Form:	Solid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate:	Not applicable.

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects:**
- **Acute toxicity**
- **Specific symptoms in biological assay:** No further relevant information available.
- **Primary irritant effect**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations:

(Contd. on page 5)

CA

Safety Data Sheet

according to HPR & OSHA

Date of issue 01/15/2026

Version number 3

Revision: 03/19/2025

Trade name: KEMPERDUR® TC Traffic Coating - Component C

(Contd. of page 4)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories
· IARC (International Agency for Research on Cancer)

14808-60-7	Quartz (SiO ₂)	1
------------	----------------------------	---

· NTP (National Toxicology Program)

14808-60-7	Quartz (SiO ₂)	K
------------	----------------------------	---

12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Other adverse effects:**
- **Additional ecological information**
- **General notes:** Not hazardous for water.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings**
- **Recommendation:**
Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

14 Transport information

- | | |
|---|----------------|
| · UN-Number | |
| · DOT/TDG, ADR, ADN, IMDG, IATA | Not regulated |
| · UN proper shipping name | |
| · DOT/TDG, ADR, ADN, IMDG, IATA | Not regulated |
| · Transport hazard class(es) | |
| · DOT/TDG, ADR, ADN, IMDG, IATA | |
| · Class | Not regulated |
| · Packing group | |
| · DOT/TDG, ADR, IMDG, IATA | Not regulated |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: | Not applicable |
| · Special precautions for user: | Not applicable |

(Contd. on page 6)

CA

Safety Data Sheet

according to HPR & OSHA

Date of issue 01/15/2026

Version number 3

Revision: 03/19/2025

Trade name: KEMPERDUR® TC Traffic Coating - Component C

(Contd. of page 5)

 · **UN "Model Regulation":** Not regulated

15 Regulatory information

 · **Safety, health and environmental regulations/legislation specific for the substance or mixture**
 No further relevant information available.

 · **Sara**

 · **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

 · **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

 · **TSCA (Toxic Substances Control Act):**

All ingredients are listed or exempted

 · **Proposition 65**

 · **Chemicals known to cause cancer:**

 14808-60-7 Quartz (SiO₂)

 · **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

 · **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

 · **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

 · **Canadian substance listings**

 · **Canadian Domestic Substances List (DSL/NDL):**

All ingredients are listed.

 · **Canadian Non-Domestic Substances List (NDL)**

None of the ingredients is listed.

 · **Canadian Ingredient Disclosure list (limit 0.1%):**

None of the ingredients is listed.

 · **Canadian Ingredient Disclosure list (limit 1%):**

 14808-60-7 Quartz (SiO₂)

 · **Per- and polyfluoroalkyl substances (PFAS)**

None of the ingredients is listed.

 · **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

 · **Hazard pictograms**


GHS08

 · **Signal word** Danger

(Contd. on page 7)

CA

Safety Data Sheet

according to HPR & OSHA

Date of issue 01/15/2026

Version number 3

Revision: 03/19/2025

Trade name: KEMPERDUR® TC Traffic Coating - Component C

(Contd. of page 6)

· Hazard-determining components of labeling:Quartz (SiO₂)**· Hazard statements**

H350 May cause cancer. Route of exposure: Inhalation.

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

16 Other information

This SDS format meets OSHA 1910.1200 and HPR requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Copyright 2026 Kemper System America, Inc. License granted to make unlimited paper copies for internal use only.

· Department issuing SDS: Product safety department**· Contact:** Stephen Nowicki**· Date of previous version** 04/12/2021**· Date of preparation** 01/15/2026**· Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

CA