

Section 1. Identification**Product Name:** PROFLEX® IFR (Industrial Floor Repair)**Effective Date:** 31 May 2015**Replaces:** 6 May 2009**Manufacturer Name:** PROFLEX® Products, Inc.**Address:** 1603 Grove Ave
Haines City, FL 33844**24/7 EMERGENCY PHONE:** INFOTRAC 800-535-5053 Call collect internationally 352-323-3500**24/7 HEALTH EMERGENCIES:** INFOTRAC 800-535-5053 Call collect internationally 352-323-3500**Section 2. Hazard(s) Identification****Emergency overview:** Gray solid or powder with a little odour. Industrial Floor Repair may cause eye damage and skin irritation. Inhalation may cause respiratory irritation and ingestion may cause gastric distress.**GHS Pictograms:****GHS Signal Word:** WARNING**POTENTIAL HEALTH EFFECTS:****CODE OF HAZARD STATEMENTS:**

Physical hazards

None.

Health Hazards

H302, Harmful if swallowed.

H313, May be harmful in contact with skin.

H315, Causes skin irritation.

H320, Causes eye irritation.

H333, May be harmful if inhaled.

H350, May cause cancer.

Environmental hazards

H402, Harmful to aquatic life.

CODE OF PRECAUTIONARY STATEMENTS:

General

P101, Keep out of the reach of children.

P103, Read label before use.

Prevention

P234, Keep only in the original container.

P261, Avoid breathing dust.

P262 Do not get in eyes, on skin or on clothing.

P264, Wash thoroughly after handling.

P270, Do not eat, drink or smoke when using this product.

P280, Wear protective gloves/protective clothing/eye protection/face protection.

Response

P312, Call a POISON CENTER or doctor/physician if you feel unwell.

P331, DO NOT induce vomiting.

P340, Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352, Wash with plenty of soap and water.

P362, Take off contaminated clothing and wash before reuse.

Storage

P402, Store in a dry place.

P403, Store in a well-ventilated area.

ROUTES OF ENTRY: Eye contact, skin absorption, ingestion and inhalation.**CARCINOGENICITY:** Crystalline silica is a carcinogen.

Section 3. Composition / Information on Ingredients

Ingredients				
Components	CAS #	EINECS #	PERCENT	REACH Reg. #
Silica, fused	60676-86-0	262-373-8	>60	No
Tri-calcium silicate	12168-85-3	235-336-9	>10	No
Crystalline silica	14808-60-7	238-878-4	>10	No
Fused calcium aluminate	65997-16-2	266-045-5	>10	No
Di-calcium silicate	10034-77-2	235-336-9	>1	No
Tetra-calcium aluminoferrite	12068-35-8	235-04-4	>1	No
Calcium sulfate hexahydrate	26499-65-0	238-879-4	>1	No
Tri-calcium aluminate	12042-78-3	234-932-6	>0.1	No
Calcium sulfate	7778-18-9	231-900-3	>0.1	Yes
Magnesium silicate	14807-60-7	238-878-4	>0.1	No

Section 4. First Aid Measures

Eye Contact: Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

Skin Contact: Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse. If irritation persists, contact a physician.

Inhalation: Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

Ingestion: If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

Section 5. Fire Fighting Measures

Flash Point: Not combustible.

Flammability Limits: NE.

Fire Fighting Media: Use dry powder and carbon dioxide.

Special Fire Fighting Procedures: First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE).

Section 6. Accidental Release Measures

Use personal protective equipment, see section 8.

Clean-up Procedures: Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use shovel to pick up absorbent for disposal.

Spills and Leaks: Dispose in accordance to local, state or federal regulations.

Section 7. Handling and Storage

Handling: Do not get into eyes, on skin and on clothing. Do not breathe dusts or mists. Wash thoroughly after handling. Do not freeze. Keep out of sunlight.

Storage: Store in original labeled container. Keep in cool and dry areas.

Section 8. Exposure Controls / Personal Protection

Introductory Remarks: Consider the potential hazards of this product outlined in section 2. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

Ingredient	OSHA PEL
Silica, fused	0.1 mg/m ³
Di-calcium silicate	5 mg/m ³
Tri-calcium aluminate	10 mg/m ³
Tetra-calcium-alumino-ferrite	10 mg/m ³
Tri-calcium silicate	15 mg/m ³
Magnesium oxide	15 mg/m ³
Crystalline silica	10 mg/m ³
Calcium sulfate	15 mg/m ³
Magnesium silicate	2 mg/m ³

Personal Protection:

Eyes: Wear safety goggles or safety glasses to prevent eye contact.

Body: Long sleeve shirts, long pants, socks, rubber boots and chemical-resistant gloves.

Hands: Neoprene chemical-resistant gloves.

Respiratory: Wear an approved respirator that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

Other: None.

Section 9. Physical and Chemical Properties

Odour / Colour	Gray solid or powder/Slight odour	Melting point	3110°F (1710°C)
Solubility	Slight in water	Specific gravity (water=1)	>2.75 @ 68°F (20°C)

Section 10. Stability and Reactivity

Chemical Stability: Considered stable under normal ambient temperatures.

Hazardous Decomposition: If complete combustion, oxides of carbon and silicate are formed.

Hazardous Polymerization: Will not occur

Incompatibility - Materials to Avoid: Strong oxidizing agents and strong acids.

Section 11. Toxicological Information

The product is not very toxic.

Acute Eye Irritation: Severe eye damage.

Acute Skin Irritation: May be irritating.

Acute Dermal Toxicity: Not expected to be toxic through the skin.

Acute Inhalation Toxicity: Not determined, expected to be an irritant to the respiratory system.

Carcinogenic Effects: Crystalline silica.

Section 12. Ecological Information

Ecotoxicity: The toxicity of this product has not been determined.

Environmental Fate: This product's environmental fate has not been determined.

Section 13. Disposal Considerations

Waste Disposal Method: Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations.

Container Handling and Disposal: All bags should be disposed of according to local, state and Federal regulations.

Section 14. Transport Information

Ground Classification: Not regulated by US DOT.
Shipping Name: PROFLEX® Industrial Floor Repair
IATA or IMO: Not regulated.

Section 15. Regulatory Information

EPCRA 311/312 Categories: Immediate (Acute) Health Effects: Yes
 Delayed (Chronic) Health Effects: Yes
 Fire Hazard: No
 Sudden Release of Pressure: No
 Reactivity: No



European Community Pictogram: Irritant

WHMIS: Xi (Irritant to the eyes and skin).

Right to know classification: None.

TSCA: None of the ingredients are listed.

Reportable Quantity (RQ): None.

Prop. 65: Crystalline silica.

Crystalline silica is listed in chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK.

Abbreviations:

CAS #	Chemical Abstract Service Number	EINECS	European Inventory of existing Commercial Chemical Sales
°C	Celsius temperature scale	°F	Fahrenheit temperature scale
Prop.	Proprietary	PE	Personal Protective Equipment
TLV	Threshold Limit Value	TWA	Time Weighted Average
STEL	Short-term Exposure Limit	PEL	Permissible Exposure Limit
OSHA	Occupational Safety & Health	NIOSH	National Institute of Safety & Health
NFPA	National Fire Protection Agency	WHMIS	Workplace Hazardous Materials Information System
NTP	National Toxicology Program	IARC	Int. Agency for Research on Cancer
RCRA	Resource Conservation Recovery Act	TSCA	Toxic Substance Control Act
EC50	Effective Dose	LC50	Lethal Inhalation Concentration
LD50	Lethal Dose	CAS	Chemical Abstract Service Number
LEL	Lower explosive limit	UEP	Upper explosive limit
NDA	No Data Available	ND	Not determined
NE	None established	NA	Not Applicable
≤	Less Than or Equal To	≥	Greater Than or Equal To
CNS	Central Nervous System	CI	China
DSL	Canada	ECL	Korean Existing Chemicals List
EEC	European Economic Commission	ENCS	Japanese Existing and New Chemical List
EU	European Union	MAC	Netherlands
MAK	Germany	MITI	Japan
PICCS	Philippines	SWISS	Giftliste 1
UK	United Kingdom	USA	United States
VOC	Volatile organic content		
ACGIH	American Conference of Governmental Industrial Hygienists		
SARA	Superfund Amendments and Reauthorization Act		
AICS	Australian Inventory of Chemical Substances		
IARC	International Agency for Research on Cancer		
Taiwan	List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances Control Act of 1086		

Section 16. Other Information

Hazardous Material Information (HMIS)

National Fire Protection Association (NFPA)

Health	1	1	Health
--------	---	---	--------



Safety Data Sheet

5

Fire	0	0	Fire
Reactivity	0	0	Instability
Personal Protection	E		NA

Health 4 Deadly 3 Extreme Danger 2 Dangerous 1 Slight hazard 0 No hazard

Fire 4 < 73 °C 3 < 100 °C 2 < 200 °C 1 >200 °C 0 Will not burn

Reactivity/Instability 4 – May detonate 3 Explosive 2 Unstable 1 Normally stable 0 Stable

Prepared by: Dennis E. Belau

Reviewed by: Regulatory department

Disclaimer:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of the SDS Departments' knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since PROFLEX® Products, Inc. has no control over how this information may be ultimately used, all liability is expressly disclaimed and PROFLEX® Products, Inc. assumes no liability.